

CUTIS 1985 INDEX

Volume 35, January-June

Volume 36, July-December

SUBJECT INDEX

- Acne, Severe, The Psychological Impact of.** *van der Meeren et al.* 36: 84 (July)
- Acquired Dermal Smooth-Muscle Hamartoma.** *Wong/Solomon.* 35: 369 (April)
- Acquired Ichthyosis in a Patient with Polycythemia Rubra Vera.** *Bergman et al.* 36: 157 (Aug)
- Acquired Pili Torti in Two Patients Treated with Synthetic Retinoids.** *Hays/Camisa.* 35: 466 (May)
- Alopecia and Drug Eruption of the Scalp Associated with a New Beta-Blocker, Nadolol.** *Shelley/Shelley.* 35: 148 (Feb)
- Alopecia, Male Pattern, Combined Surgical Treatment of.** *Roenigk.* 35: 570 (June)
- Annular Erythema with Histologic Features of Leukocytoclastic Vasculitis in Ulcerative Colitis.** *Aram et al.* 35: 250 (March)
- Aplasia Cutis Congenita Associated with Valvular Heart Disease.** *Paltzik/Aiello.* 36: 57 (July)
- Association of Pili Torti and Leukonychia.** *Giustina et al.* 35: 533 (June)
- Balanitis, Pseudoepitheliomatous, Keratotic, and Micaeous.** *Bargman.* 35: 77 (Jan)
- Bandage-Induced Nail Disorders.** *Stone.* 36: 259 (Sept)
- Basal Cell Carcinoma Arising at the Site of Venipuncture.** *Wilkin/Strobel.* 36: 297 (Oct)
- Brucella, Contact Dermatitis Caused by.** *Trunnell et al.* 35: 379 (April)
- Bullous Erythema Multiforme Associated With Hemophilus Influenzae Pneumonia.** *Schwartz/Clendenning.* 36: 255 (Sept)
- Capsule Swallowing: The Lean-Forward Technique.** *Kahn.* 36: 144 (Aug)
- Cellulitis, Needle Aspiration for Diagnosis of.** *Liles/Dall.* 36: 63 (July)
- Clinical and Histologic Findings in Degos' Syndrome (Malignant Atrophic Papulosis).** *Su et al.* 35: 131 (Feb)
- Clotrimazole, Contact Dermatitis to.** *Kalb/Grossman.* 36: 240 (Sept)
- Combined Surgical Treatment of Male Pattern Alopecia.** *Roenigk.* 35: 570 (June)
- Complete Pterygium Unguis.** *Lembo et al.* 36: 427 (Nov)
- Connective-Tissue Nevus, Zosteriform.** *Kozminsky et al.* 36: 77 (July)
- Contact Dermatitis Caused by Brucella.** *Trunnell et al.* 35: 379 (April)
- Contact Dermatitis in Cystic Fibrosis.** *Laufer/Laufer.* 35: 557 (June)
- Contact Dermatitis, Irritant, Disuse Contractures in a Patient with Tinea Manuum and.** *Chapel/Chapel.* 36: 55 (July)
- Contact Dermatitis to Clotrimazole.** *Kalb/Grossman.* 36: 240 (Sept)
- Cryoanesthesia and Electrosurgical Treatment of Benign Skin Tumors.** *Spiller/Spiller.* 35: 551 (June)
- Cryotherapy of Lentiginous Mosaicism.** *Rosenblum.* 35: 543 (June)
- Current Management Using 5-Fluorouracil: 1985.** *Bennett et al.* 36: 218 (Sept)
- Cushing's Syndrome Due to Ectopic ACTH Production: Cutaneous Manifestations.** *Sowers/Lippmann.* 36: 351 (Oct)
- Cutaneous Dissemination, Unusual, of a Tropical Fish Tank Granuloma.** *Bruckner-Tuderman/Blank.* 36: 405 (Nov)
- Cutaneous Nodules as the First Manifestation of Gastrointestinal Lymphoma.** *Knobler et al.* 35: 262 (March)
- Cutaneous Squamous Cell Carcinomas, Multiple, in a Patient with Chronic Lymphocytic Leukemia.** *Fowler/Kruckles.* 36: 467 (Dec)
- Cystic Fibrosis, Contact Dermatitis in.** *Laufer/Laufer.* 35: 557 (June)
- Cystic Fibrosis, Urticaria in.** *Laufer.* 36: 245 (Sept)
- Degos' Syndrome (Malignant Atrophic Papulosis), Clinical and Histologic Findings in.** *Su et al.* 35: 131 (Feb)
- Dermal Leishmaniasis After Kala-Azar Infection: Successful Treatment with Rifampin.** *Saha.* 36: 81 (July)
- Diabetes Mellitus, Hemorrhage into Plantar Callus and.** *Rosen et al.* 35: 339 (April)
- Diaper Rash in Normal Infants, Hair Zinc, Scalp Hair Quantity, and.** *Collipp et al.* 35: 66 (Jan)
- Disuse Contractures in a Patient with Tinea Manuum and Irritant Contact Dermatitis.** *Chapel/Chapel.* 36: 55 (July)
- Dyshidrotic Eczema Associated with Piroxicam Photosensitivity.** *Braunstein.* 35: 485 (May)
- Dyshidrotic Eczema, Pemphigus Vulgaris Masquerading as.** *Milgraum et al.* 35: 445 (May)

- Ears, Venous Lakes of the. *Goldberg/Altman*. 36: 472 (Dec)
- Effect of Hydrocortisone on *Trichophyton rubrum* Growth in Human Epidermal Keratinocyte Cultures. *Liu/Jacobs*. 35: 373 (April)
- Electrosurgical Treatment of Benign Skin Tumors, Cryoanesthesia and. *Spiller/Spiller*. 35: 551 (June)
- Endocrinopathy, Polyglandular Autoimmune, and Vitiligo. *Bloch/Sowers*. 36: 417 (Nov)
- Epitheliomata Cuniculata, Multiple, Occurring in A Mutilating Keratoderma. *Barnett/Estes*. 35: 345 (April)
- Erythema Annulare Centrifugum: An Unusual Case Due to Hydroxychloroquine Sulfate. *Hudson*. 36: 129 (Aug)
- Erythema Annulare Centrifugum as the Presenting Sign of the Hypereosinophilic Syndrome: Observations on Therapy. *Shelley/Shelley*. 35: 53 (Jan)
- Erythema Nodosum in Sweet's Syndrome. *Spatz*. 35: 327 (April)
- Exercise-Associated Solar Purpura in an Atypical Location. *Latenser/Hempstead*. 35: 365 (April)
- Five-Fluorouracil, Current Management Using, 1985. *Bennett et al*. 36: 218 (Sept)
- Follicular Secondary Syphilis. *Winchell et al*. 35: 259 (March)
- Gastrointestinal Lymphoma, Cutaneous Nodules as the First Manifestation of. *Knobler et al*. 35: 262 (March)
- Gonococci, β -Lactamase-Producing, Preputial Abscesses Caused by. *Neubert et al*. 36: 161 (Aug)
- Granular Cell Tumor: A Great Masquerader. *Berkowitz et al*. 35: 355 (April)
- Granuloma Annulare, Disseminated, Resolution of following Isotretinoin Therapy. *Schleicher/Milstein*. 36: 147 (Aug)
- Granulomas, Sarcoidal, in Tattoos. *Blobstein et al*. 36: 423 (Nov)
- Granuloma, Tropical Fish Tank, Unusual Dissemination of a. *Bruckner-Tuderman/Blank*. 36: 405 (Nov)
- Hair Zinc, Scalp Hair Quantity, and Diaper Rash in Normal Infants. *Collipp et al*. 35: 66 (Jan)
- Hairy Elbows. *Rudolph*. 36: 69 (July)
- Hamartoma, Acquired Dermal Smooth-Muscle. *Wong/Solomon*. 35: 369 (April)
- Hemophilus Influenzae* Pneumonia, Bullous Erythema Multiforme Associated With. *Schwartz/Cleddening*. 36: 255 (Sept)
- Hemorrhage into Plantar Callus and Diabetes Mellitus. *Rosen et al*. 35: 339 (April)
- Herpes Simplex, Neonatal: A Newborn Infected by a Midwife. *Ito/Ono*. 35: 169 (Feb)
- Histologically Occult Lymphoma Revealed by Electron Microscopy, A. *Shelley/Shelley*. 35: 238 (March)
- Hydrocortisone, Effect of, on *Trichophyton rubrum* Growth in Human Epidermal Keratinocyte Cultures. *Liu/Jacobs*. 35: 373 (April)
- Hypereosinophilic Syndrome: Observations on Therapy, Erythema Annulare Centrifugum as the Presenting Sign of. *Shelley/Shelley*. 35: 53 (Jan)
- Hyperpigmentation, Vitiligo, and Addison's Disease. *Mulligan/Sowers*. 36: 317 (Oct)
- Ichthyosis, Acquired, in a Patient with Polycythemia Rubra Vera. *Bergman et al*. 36: 157 (Aug)
- Immune Complex Disease, Urticarial Vasculitis, and an Infected Ventriculoatrial Shunt. *Kravitz/Stahl*. 36: 135 (Aug)
- Infantile Acropustulosis. *McFadden/Falk*. 36: 49 (July)
- Infundibular and Trichilemmal Keratinization of a Pilar Tumor. *Patterson*. 36: 330 (Oct)
- Iododerma Occurring During Thyroid Protection Treatment. *Wilkin/Strobel*. 36: 335 (Oct)
- Isotretinoin Therapy, Resolution of Disseminated Granuloma Annulare following. *Schleicher/Milstein*. 36: 147 (Aug)
- Isotretinoin Treatment, Systemic, of Oral and Cutaneous Lichen Planus. *Woo*. 35: 385 (April)
- Kala-Azar Infection, Dermal Leishmaniasis After: Successful Treatment with Rifampin. *Saha*. 36: 81 (July)
- Keratoderma, Mutilating, Multiple Epitheliomata Cuniculata Occurring in A. *Barnett/Estes*. 35: 345 (April)
- Keratosis Follicularis, Unilateral. *Moore/Schosser*. 35: 459 (May)
- Late Reactions at Zyderm Skin Test Sites. *Labow/Silvers*. 35: 154 (Feb)
- Lentiginous Mosaicism, Cryotherapy of. *Rosenblum*. 35: 543 (June)
- Lentigo Maligna, Subungual. *Clouse/Sanders*. 36: 153 (Aug)
- Leser-Trélat Sign Associated with Sézary Syndrome. *Horiuchi et al*. 36: 409 (Nov)
- Leukemia, Chronic Lymphocytic, Multiple Cutaneous Squamous Cell Carcinomas in a Patient with. *Fowler/Knuckles*. 36: 467 (Dec)
- Leukemia Cutis Mimicking Stasis Dermatitis. *Butler et al*. 35: 47 (Jan)
- Leukonychia, Association of Pili Torti and. *Giustina et al*. 35: 533 (June)
- Lichen Planus, Oral and Cutaneous, Systemic Isotretinoin Treatment of. *Woo*. 35: 385 (April)
- Light Microscopic Demonstration of Virions, Office Diagnosis of Molluscum Contagiosum by. *Shelley/Burmeister*. 36: 465 (Dec)
- Lymphocytic Leukemia, Chronic, Multiple Cutaneous Squamous Cell Carcinomas in a Patient with. *Fowler/Knuckles*. 36: 467 (Dec)
- Lymphoma, Gastrointestinal, Cutaneous Nodules as the First Manifestation of. *Knobler et al*. 35: 262 (March)
- Lymphoma, Histologically Occult, Revealed by Electron Microscopy, A. *Shelley/Shelley*. 35: 238 (March)
- Making Title Slides: A Guide for Physicians. *Peng*. 35: 59 (Jan)
- Malassezia* Folliculitis in Immunocompromised Patients. *Yohn et al*. 35: 536 (June)
- Male Pattern Alopecia, Combined Surgical Treatment

- of. *Roenigk*. 35: 570 (June)
- Malignant Atrophic Papulosis: Clinical and Histologic Findings in Degos' Syndrome. *Su et al.* 35: 131 (Feb)
- Malignant Histiocytosis. *Stone/Tschen*. 36: 42 (July)
- Malignant Melanoma of the Plantar Aspect of the Foot. *Chairman et al.* 35: 160 (Feb)
- Management of Toxic Epidermal Necrolysis. *Parsons*. 36: 305 (Oct)
- Minocycline Therapy, Long-Term, Pigmentary Changes Due to. *Liu/May*. 35: 254 (March)
- Molluscum Contagiosum, Office Diagnosis of, by Light Microscopic Demonstration of Virions. *Shelley/Burmeister*. 36: 465 (Dec)
- Multiple Cutaneous Squamous Cell Carcinomas in a Patient with Chronic Lymphocytic Leukemia. *Fowler/Knuckles*. 36: 467 (Dec)
- Multiple Epitheliomata Cuniculata Occurring in a Mutilating Keratoderma. *Barnett/Estes*. 35: 345 (April)
- Multiple Squamous Cell Carcinomas in Lesions of Discoid Lupus Erythematosus. *Garrett*. 36: 313 (Oct)
- Nadolol, a New Beta-Blocker, Alopecia and Drug Eruption of the Scalp Associated with. *Shelley/Shelley*. 35: 148 (Feb)
- Needle Aspiration for Diagnosis of Cellulitis. *Liles/Dall*. 36: 63 (July)
- Neonatal Herpes Simplex: A Newborn Infected by a Midwife. *Ito/Ono*. 35: 169 (Feb)
- Neurofibromatosis and Psoriasis. *Roenigk/Manick*. 35: 479 (May)
- Nodular Colloid Degeneration: Distinctive Histochemical and Ultrastructural Features. *Patterson et al.* 36: 355 (Oct)
- Office Diagnosis of Molluscum Contagiosum by Light Microscopic Demonstration of Virions. *Shelley/Burmeister*. 36: 465 (Dec)
- Papulovesicular Acrolocalized Syndrome. *Paltzik/Aiello*. 35: 362 (April)
- Pemphigus Vulgaris Masquerading as Dyshidrotic Eczema. *Milgram et al.* 35: 445 (May)
- Periungual Fibrokeratoma, Recurring Accessory "Fingernail". *Shelley/Phillips*. 35: 451 (May)
- Pigmentary Changes Due to Long-Term Minocycline Therapy. *Liu/May*. 35: 254 (March)
- Pilar Tumor of the Nose. *Rubinstein et al.* 36: 251 (Sept)
- Pili Torti, Acquired, in Two Patients Treated with Systemic Retinoids. *Hays/Camisa*. 35: 466 (May)
- Pili Torti and Leukonychia. Association of. *Giustina et al.* 35: 533 (June)
- Piroxicam Photosensitivity, Dyshidrotic Eczema Associated with. *Braunstein*. 35: 485 (May)
- Pityriasis Rosea Eruption in Secondary Syphilis: An Isomorphic Phenomenon? *Secher et al.* 35: 403 (April)
- Plantar Aspect of the Foot, Malignant Melanoma of. *Chairman et al.* 35: 160 (Feb)
- Plantar Callus, Hemorrhage into, and Diabetes Mellitus. *Rosen et al.* 35: 339 (April)
- Polycythemia Rubra Vera, Acquired Ichthyosis in a Patient with. *Bergman et al.* 36: 157 (Aug)
- Polyglandular Autoimmune Endocrinopathy, Vitiligo and. *Bloch/Sowers*. 36: 417 (Nov)
- Post-Radiation Subungual Squamous Cell Carcinoma. *Stone/Morrisson*. 35: 272 (March)
- Practical Therapy for Aphthous Stomatitis. *Fishman*. 36: 479 (Dec)
- Preputial Abscesses Caused by β -Lactamase-Producing Gonococci. *Neubert et al.* 36: 161 (Aug)
- Primary Biliary Cirrhosis, Rendu-Osler-Weber-Like Telangiectasia Associated with. *Hays/Camisa*. 35: 152 (Feb)
- Primary Osteoma Cutis. *Katz/Weinrauch*. 36: 477 (Dec)
- Pseudoepitheliomatous, Keratotic, and Micaceous Balanitis. *Bargman*. 35: 77 (Jan)
- Pseudomelanoma in a Black Man. *Bruce/Goette*. 36: 73 (July)
- Psoriasis, Neurofibromatosis and. *Roenigk/Manick*. 35: 479 (May)
- Psychological Impact of Severe Acne, The. *van der Meeren et al.* 36: 84 (July)
- Pterygium Unguis, Complete. *Lembo et al.* 36: 427 (Nov)
- Purpura Following Timber Rattlesnake (*Crotalus horridus horridus*) Envenomation. *Furlow/Brennan*. 35: 234 (March)
- Recurring Accessory "Fingernail": Periungual Fibrokeratoma. *Shelley/Phillips*. 35: 451 (May)
- Rendu-Osler-Weber-Like Telangiectasia Associated with Primary Biliary Cirrhosis. *Hays/Camisa*. 35: 152 (Feb)
- Resolution of Disseminated Granuloma Annulare following Isotretinoin Therapy. *Schleicher/Milstein*. 36: 147 (Aug)
- Retinoids, Synthetic, Acquired Pili Torti in Two Patients Treated with. *Hays/Camisa*. 35: 466 (May)
- Sarcoidal Granulomas in Tattoos. *Blobstein et al.* 36: 423 (Nov)
- Scalp Hair Quantity and Diaper Rash in Normal Infants, Hair Zinc and. *Collipp et al.* 35: 66 (Jan)
- Sézary Syndrome, Leser-Trélat Sign Associated with. *Horiuchi et al.* 36: 409 (Nov)
- Skin in IgA Nephropathies. *Zawada/Ramirez*. 36: 341 (Oct)
- Solar Purpura, Exercise-Associated, in an Atypical Location. *Latenser/Hempstead*. 35: 365 (April)
- Sporotrichosis Associated with an Infected Cat. *Schiappacasse et al.* 35: 268 (March)
- Stasis Dermatitis, Leukemia Cutis Mimicking. *Butler et al.* 35: 47 (Jan)
- Subungual Lentigo Maligna. *Clouse/Sanders*. 36: 153 (Aug)
- Superficial Ulcerating Rheumatoid Necrobiosis: A Perforating Rheumatoid Nodule. *Patterson/Demos*. 36: 323 (Oct)
- Sweetheart's Syndrome: Purpura of a Pleasant Nature.

- Gewirtzman. 35:359 (April)
- Sweet's Syndrome, Erythema Nodosum in. *Spatz*. 35: 327 (April)
- Syphilis, Follicular Secondary. *Winchell et al.* 35: 259 (March)
- Syphilis, Secondary, Pityriasis Rosea Eruption in. An Isomorphic Phenomenon? *Secher et al.* 35: 403 (April)
- Systemic Isotretinoin Treatment of Oral and Cutaneous Lichen Planus. *Woo*. 35: 385 (April)
- Tattoos, Sarcoidal Granulomas in. *Blobstein et al.* 36: 423 (Nov)
- Timber Rattlesnake (*Crotalus horridus horridus*) Envenomation, Purpura Following. *Furlow/Brennan*. 35: 234 (March)
- Tinea Manuum and Irritant Contact Dermatitis, Disuse Contractures in a Patient with. *Chapel/Chapel*. 36: 55 (July)
- Transient Acantholytic Dermatitis Occurring During Pregnancy. *Levy et al.* 35: 73 (Jan)
- Trichophyton rubrum Growth in Human Epidermal Keratinocyte Cultures, Effect of Hydrocortisone on. *Liu/Jacobs*. 35: 373 (April)
- Tropical Fish Tank Granuloma, Unusual Cutaneous Dissemination of a. *Bruckner-Tuderman/Blank*. 36: 405 (Nov)
- Twelfth Pediatric Dermatology Seminar. February 21-24, 1985. Miami Beach, Florida. *Hurwitz/Kahn*. 36: 430 (Nov)
- Unilateral Keratosis Follicularis. *Moore/Schosser*. 35: 459 (May)
- Unusual Cutaneous Dissemination of a Tropical Fish Tank Granuloma. *Bruckner-Tuderman/Blank*. 36: 405 (Nov)
- Urticaria in Cystic Fibrosis. *Laufer*. 36: 245 (Sept)
- Urticarial Vasculitis, Immune Complex Disease, and an Infected Ventriculoatrial Shunt. *Kravitz/Stahl*. 36: 135 (Aug)
- Valvular Heart Disease, Aplasia Cutis Congenita Associated with. *Paltzik/Aiello*. 36: 57 (July)
- Venous Lakes of the Ears. *Goldberg/Altman*. 36: 472 (Dec)
- Virions, Light Microscopic Demonstration of, Office Diagnosis of Molluscum Contagiosum by. *Shelley-/Burmeister*. 36: 465 (Dec)
- Vitiligo and Polyglandular Autoimmune Endocrinopathy. *Bloch/Sowers*. 36: 417 (Nov)
- Zosteriform Connective-Tissue Nevus. *Kozminsky et al.* 36: 77 (July)
- Zyderm Skin Test Sites, Late Reactions at. *Labow/Silvers*. 35: 154 (Feb)

TOPICORT® Ointment (desoximetasone) 0.25%

Brief Summary—Consult Package Insert for Full Prescribing Information

DESCRIPTION: Each gram of Topicort® Ointment (desoximetasone) 0.25% contains 2.5 mg of desoximetasone in a base of white petrolatum, propylene glycol, sorbitan sesquioleate, beeswax, fatty alcohol citrate, fatty acid pentaerythritol ester, citric acid, aluminum stearate and butylated hydroxyanisole.

INDICATIONS: For relief of the inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses.

CONTRAINDICATIONS: History of hypersensitivity to any component of the preparation.

PRECAUTIONS: Systemic absorption of topical corticosteroids has produced reversible hypothalamic-pituitary-adrenal (HPA) axis suppression, manifestations of Cushing's syndrome, hyperglycemia, and glucosuria in some patients. Conditions which augment systemic absorption include application of the more potent steroids, use over large surface areas, prolonged use, and addition of occlusive dressings. When these conditions exist, evaluate patients periodically for evidence of HPA axis suppression, using urinary free cortisol and ACTH stimulation tests. If HPA axis suppression is noted, attempt to withdraw the drug, reduce the frequency of application, or substitute a less potent steroid. Recovery of HPA axis function is generally prompt and complete upon discontinuation. Infrequently, signs and symptoms of steroid withdrawal may occur, requiring supplemental systemic corticosteroids.

Children may absorb proportionally larger amounts of topical corticosteroids and thus be more susceptible to systemic toxicity.

If irritation develops, discontinue topical corticosteroids and institute appropriate therapy. In the presence of dermatological infections, institute use of an appropriate antifungal or antibacterial agent. If favorable response does not occur promptly, discontinue the corticosteroid until infection has been adequately controlled. Avoid contact with the eyes.

Long-term animal studies have not been performed to evaluate the carcinogenic potential or effect on fertility of topical corticosteroids. Studies to determine mutagenicity with prednisolone and hydrocortisone have revealed negative results.

Corticosteroids are generally teratogenic in laboratory animals when administered systemically at relatively low dosage levels. The more potent corticosteroids have been shown to be teratogenic after dermal application in laboratory animals. There are no adequate and well-controlled studies in pregnant women on teratogenic effects from topically applied corticosteroids. They should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus. Drugs of this class should not be used extensively on pregnant patients, in large amounts, or for prolonged periods of time. It is not known whether topical administration of corticosteroids could result in sufficient systemic absorption to produce detectable quantities in breast milk. Systemically administered corticosteroids are secreted into breast milk in quantities not likely to have a deleterious effect on the infant. Nevertheless, caution should be exercised when topical corticosteroids are administered to a nursing woman.

Pediatric patients may demonstrate greater susceptibility to topical corticosteroid-induced HPA axis suppression and Cushing's syndrome than mature patients because of a larger skin surface area to body weight ratio. HPA axis suppression, Cushing's syndrome, and intracranial hypertension have been reported in children receiving topical corticosteroids. Manifestations of adrenal suppression in children include linear growth retardation, delayed weight gain, low plasma cortisol levels, and absence of response to ACTH stimulation. Manifestations of intracranial hypertension include bulging fontanelles, headaches, and bilateral papilledema.

Advise parents not to use tight-fitting diapers or plastic pants on a child being treated in the diaper area, as these garments may constitute occlusive dressings. Administration of topical corticosteroids to children should be limited to the least amount compatible with an effective therapeutic regimen. Chronic corticosteroid therapy may interfere with growth and development of children. Safety and effectiveness in children below the age of 10 have not been established.

ADVERSE REACTIONS: The following local adverse reactions, listed in approximate decreasing order of occurrence, are reported infrequently with topical corticosteroids, but may occur more frequently with the use of occlusive dressings: burning, itching, irritation, dryness, folliculitis, hypertrichosis, acneiform eruptions, hypopigmentation, perioral dermatitis, allergic contact dermatitis, maceration of the skin, secondary infection, skin atrophy, striae, and miliaria. In controlled clinical studies, the incidence of adverse reactions was low (0.3%) and consisted of development of comedones at the site of application.

HOW SUPPLIED: Topicort® Ointment (desoximetasone) 0.25% is supplied in 15- and 60-gram tubes.

Hoechst-Roussel Pharmaceuticals Inc.
Somerville, New Jersey 08876

Hoechst 

Q71170-1184

